

Food cooked
faster and
easier to eat

Companion
Stove
available in
two sizes

100% energy used for
cooking. No heat
loss to the
surrounding
atmosphere.

Food cost is
reduced to 50%
of the
conventional
stove.

No mess,
no fire
smoke,
no fire
hazard.

PRO vs. LPG stove comparison chart

Model No.	Power (kW)	Gas flow (liters/hr)	Gas pressure (kg/cm ²)	Gas consumption (liters/hr)	Gas consumption (liters/hr)	Gas consumption (liters/hr)
PRO 100	1.0	1.0	1.0	1.0	1.0	1.0
PRO 150	1.5	1.5	1.5	1.5	1.5	1.5
PRO 200	2.0	2.0	2.0	2.0	2.0	2.0
PRO 250	2.5	2.5	2.5	2.5	2.5	2.5
PRO 300	3.0	3.0	3.0	3.0	3.0	3.0
PRO 350	3.5	3.5	3.5	3.5	3.5	3.5
PRO 400	4.0	4.0	4.0	4.0	4.0	4.0
PRO 450	4.5	4.5	4.5	4.5	4.5	4.5
PRO 500	5.0	5.0	5.0	5.0	5.0	5.0
PRO 550	5.5	5.5	5.5	5.5	5.5	5.5
PRO 600	6.0	6.0	6.0	6.0	6.0	6.0
PRO 650	6.5	6.5	6.5	6.5	6.5	6.5
PRO 700	7.0	7.0	7.0	7.0	7.0	7.0
PRO 750	7.5	7.5	7.5	7.5	7.5	7.5
PRO 800	8.0	8.0	8.0	8.0	8.0	8.0
PRO 850	8.5	8.5	8.5	8.5	8.5	8.5
PRO 900	9.0	9.0	9.0	9.0	9.0	9.0
PRO 950	9.5	9.5	9.5	9.5	9.5	9.5
PRO 1000	10.0	10.0	10.0	10.0	10.0	10.0

PRO vs. Conventional stove comparison chart

Model No.	Power (kW)	Gas flow (liters/hr)	Gas pressure (kg/cm ²)	Gas consumption (liters/hr)	Gas consumption (liters/hr)	Gas consumption (liters/hr)
CONV 100	1.0	1.0	1.0	1.0	1.0	1.0
CONV 150	1.5	1.5	1.5	1.5	1.5	1.5
CONV 200	2.0	2.0	2.0	2.0	2.0	2.0
CONV 250	2.5	2.5	2.5	2.5	2.5	2.5
CONV 300	3.0	3.0	3.0	3.0	3.0	3.0
CONV 350	3.5	3.5	3.5	3.5	3.5	3.5
CONV 400	4.0	4.0	4.0	4.0	4.0	4.0
CONV 450	4.5	4.5	4.5	4.5	4.5	4.5
CONV 500	5.0	5.0	5.0	5.0	5.0	5.0
CONV 550	5.5	5.5	5.5	5.5	5.5	5.5
CONV 600	6.0	6.0	6.0	6.0	6.0	6.0
CONV 650	6.5	6.5	6.5	6.5	6.5	6.5
CONV 700	7.0	7.0	7.0	7.0	7.0	7.0
CONV 750	7.5	7.5	7.5	7.5	7.5	7.5
CONV 800	8.0	8.0	8.0	8.0	8.0	8.0
CONV 850	8.5	8.5	8.5	8.5	8.5	8.5
CONV 900	9.0	9.0	9.0	9.0	9.0	9.0
CONV 950	9.5	9.5	9.5	9.5	9.5	9.5
CONV 1000	10.0	10.0	10.0	10.0	10.0	10.0

PRO vs. LPG chart

Model No.	Power (kW)	Gas flow (liters/hr)	Gas pressure (kg/cm ²)	Gas consumption (liters/hr)	Gas consumption (liters/hr)	Gas consumption (liters/hr)
PRO 100	1.0	1.0	1.0	1.0	1.0	1.0
PRO 150	1.5	1.5	1.5	1.5	1.5	1.5
PRO 200	2.0	2.0	2.0	2.0	2.0	2.0
PRO 250	2.5	2.5	2.5	2.5	2.5	2.5
PRO 300	3.0	3.0	3.0	3.0	3.0	3.0
PRO 350	3.5	3.5	3.5	3.5	3.5	3.5
PRO 400	4.0	4.0	4.0	4.0	4.0	4.0
PRO 450	4.5	4.5	4.5	4.5	4.5	4.5
PRO 500	5.0	5.0	5.0	5.0	5.0	5.0
PRO 550	5.5	5.5	5.5	5.5	5.5	5.5
PRO 600	6.0	6.0	6.0	6.0	6.0	6.0
PRO 650	6.5	6.5	6.5	6.5	6.5	6.5
PRO 700	7.0	7.0	7.0	7.0	7.0	7.0
PRO 750	7.5	7.5	7.5	7.5	7.5	7.5
PRO 800	8.0	8.0	8.0	8.0	8.0	8.0
PRO 850	8.5	8.5	8.5	8.5	8.5	8.5
PRO 900	9.0	9.0	9.0	9.0	9.0	9.0
PRO 950	9.5	9.5	9.5	9.5	9.5	9.5
PRO 1000	10.0	10.0	10.0	10.0	10.0	10.0

Sustainable India Pvt. Ltd.
 100, 200, 300, 400, 500, 600, 700, 800, 900, 1000
 1100, 1200, 1300, 1400, 1500, 1600, 1700, 1800, 1900, 2000
 2100, 2200, 2300, 2400, 2500, 2600, 2700, 2800, 2900, 3000
 3100, 3200, 3300, 3400, 3500, 3600, 3700, 3800, 3900, 4000
 4100, 4200, 4300, 4400, 4500, 4600, 4700, 4800, 4900, 5000
 5100, 5200, 5300, 5400, 5500, 5600, 5700, 5800, 5900, 6000
 6100, 6200, 6300, 6400, 6500, 6600, 6700, 6800, 6900, 7000
 7100, 7200, 7300, 7400, 7500, 7600, 7700, 7800, 7900, 8000
 8100, 8200, 8300, 8400, 8500, 8600, 8700, 8800, 8900, 9000
 9100, 9200, 9300, 9400, 9500, 9600, 9700, 9800, 9900, 10000

PRO vs. LPG
The mark of a
proud cook

PRO
Thrift + Savings + Profit

**FUEL SAVINGS
UP TO
50%**

Sustainable India Pvt. Ltd.

Table-top

Model No.	Power (kW)	Gas flow (liters/hr)	Gas pressure (kg/cm ²)	Gas consumption (liters/hr)	Gas consumption (liters/hr)	Gas consumption (liters/hr)
PRO 100	1.0	1.0	1.0	1.0	1.0	1.0
PRO 150	1.5	1.5	1.5	1.5	1.5	1.5
PRO 200	2.0	2.0	2.0	2.0	2.0	2.0
PRO 250	2.5	2.5	2.5	2.5	2.5	2.5
PRO 300	3.0	3.0	3.0	3.0	3.0	3.0
PRO 350	3.5	3.5	3.5	3.5	3.5	3.5
PRO 400	4.0	4.0	4.0	4.0	4.0	4.0
PRO 450	4.5	4.5	4.5	4.5	4.5	4.5
PRO 500	5.0	5.0	5.0	5.0	5.0	5.0
PRO 550	5.5	5.5	5.5	5.5	5.5	5.5
PRO 600	6.0	6.0	6.0	6.0	6.0	6.0
PRO 650	6.5	6.5	6.5	6.5	6.5	6.5
PRO 700	7.0	7.0	7.0	7.0	7.0	7.0
PRO 750	7.5	7.5	7.5	7.5	7.5	7.5
PRO 800	8.0	8.0	8.0	8.0	8.0	8.0
PRO 850	8.5	8.5	8.5	8.5	8.5	8.5
PRO 900	9.0	9.0	9.0	9.0	9.0	9.0
PRO 950	9.5	9.5	9.5	9.5	9.5	9.5
PRO 1000	10.0	10.0	10.0	10.0	10.0	10.0

Wall-mounted

Model No.	Power (kW)	Gas flow (liters/hr)	Gas pressure (kg/cm ²)	Gas consumption (liters/hr)	Gas consumption (liters/hr)	Gas consumption (liters/hr)
PRO 100	1.0	1.0	1.0	1.0	1.0	1.0
PRO 150	1.5	1.5	1.5	1.5	1.5	1.5
PRO 200	2.0	2.0	2.0	2.0	2.0	2.0
PRO 250	2.5	2.5	2.5	2.5	2.5	2.5
PRO 300	3.0	3.0	3.0	3.0	3.0	3.0
PRO 350	3.5	3.5	3.5	3.5	3.5	3.5
PRO 400	4.0	4.0	4.0	4.0	4.0	4.0
PRO 450	4.5	4.5	4.5	4.5	4.5	4.5
PRO 500	5.0	5.0	5.0	5.0	5.0	5.0
PRO 550	5.5	5.5	5.5	5.5	5.5	5.5
PRO 600	6.0	6.0	6.0	6.0	6.0	6.0
PRO 650	6.5	6.5	6.5	6.5	6.5	6.5
PRO 700	7.0	7.0	7.0	7.0	7.0	7.0
PRO 750	7.5	7.5	7.5	7.5	7.5	7.5
PRO 800	8.0	8.0	8.0	8.0	8.0	8.0
PRO 850	8.5	8.5	8.5	8.5	8.5	8.5
PRO 900	9.0	9.0	9.0	9.0	9.0	9.0
PRO 950	9.5	9.5	9.5	9.5	9.5	9.5
PRO 1000	10.0	10.0	10.0	10.0	10.0	10.0

Floor-standing

Model No.	Power (kW)	Gas flow (liters/hr)	Gas pressure (kg/cm ²)	Gas consumption (liters/hr)	Gas consumption (liters/hr)	Gas consumption (liters/hr)
PRO 100	1.0	1.0	1.0	1.0	1.0	1.0
PRO 150	1.5	1.5	1.5	1.5	1.5	1.5
PRO 200	2.0	2.0	2.0	2.0	2.0	2.0
PRO 250	2.5	2.5	2.5	2.5	2.5	2.5
PRO 300	3.0	3.0	3.0	3.0	3.0	3.0
PRO 350	3.5	3.5	3.5	3.5	3.5	3.5
PRO 400	4.0	4.0	4.0	4.0	4.0	4.0
PRO 450	4.5	4.5	4.5	4.5	4.5	4.5
PRO 500	5.0	5.0	5.0	5.0	5.0	5.0
PRO 550	5.5	5.5	5.5	5.5	5.5	5.5
PRO 600	6.0	6.0	6.0	6.0	6.0	6.0
PRO 650	6.5	6.5	6.5	6.5	6.5	6.5
PRO 700	7.0	7.0	7.0	7.0	7.0	7.0
PRO 750	7.5	7.5	7.5	7.5	7.5	7.5
PRO 800	8.0	8.0	8.0	8.0	8.0	8.0
PRO 850	8.5	8.5	8.5	8.5	8.5	8.5
PRO 900	9.0	9.0	9.0	9.0	9.0	9.0
PRO 950	9.5	9.5	9.5	9.5	9.5	9.5
PRO 1000	10.0	10.0	10.0	10.0	10.0	10.0

Common specifications

Options for fuel usage

Common specifications

Options for fuel usage